




Sockolet redukovaný

Sockolet neredukovaný

Sockolet ASME B16.11



Pre potrubie STD a XS 3000 lbs

Rozmery	Redukované			Neredukované	
	A	B	Váha (kg/ks)	C	Váha (kg/ks)
1/8"	19	16	0,06		
1/4"	19	16	0,06		
3/8"	20,5	19	0,09		
1/2"	25,5	24	0,11	14,0	0,12
3/4"	27	30	0,17	19,0	0,19
1"	33,5	36,5	0,29	24,0	0,31
1 1/4"	33,5	44,5	0,41	32,0	0,45
1 1/2"	35	51	0,46	38,0	0,50
2"	38	65	0,80	49,0	0,87
2 1/2"	46	76	1,40	59,0	1,50
3"	51	93,5	2,00	73,5	2,15
3 1/2"	54	101,5	2,60	85,0	2,80
4"	57	120,5	3,30	97,0	3,50

Pre potrubie Sch 160 6000 lbs

Rozmery	Redukované		
	A	B	Váha (kg/ks)
1/4"	28,5	14	0,20
3/8"	28,5	14	0,20
1/2"	31,5	19	0,30
3/4"	36,5	26	0,50
1"	39,5	34	0,90
1 1/4"	39,5	38,0	0,85
1 1/2"	43	49,0	1,45
2"	52,5	59	2,75

Pre potrubie XXS 9000 lbs

Rozmery	Redukované		
	A	B	Váha (kg/ks)
1/2"	31,5	19	0,32
3/4"	36,5	26	0,55
1"	39,5	34	0,95
1 1/2"	43	49	1,50
2"	52,5	59,0	2,90


Uvedené rozmery (v mm) a hmotnosti (kg/ks) slúžia len na informatívne účely.



Weldolet STD MSS SP 97

Weldolet redukovaný

Weldolet neredukovaný



Rozmery	Redukované			Neredukované	
	A	B	Váha (kg/ks)	C	Váha (kg/ks)
1/8"	16,0	16,0	0,04		
1/4"	16,0	16,0	0,04		
3/8"	19,0	19,0	0,07		
1/2"	19,0	24,0	0,08	16,0	0,07
3/4"	22,0	30,0	0,12	20,5	0,12
1"	27,0	36,5	0,22	26,0	0,18
1 1/4"	32,0	44,5	0,36	35,0	0,32
1 1/2"	33,5	51,0	0,45	41,0	0,36
2"	38,0	65,0	0,80	52,5	0,70
2 1/2"	41,5	76,0	1,15	62,0	1,10
3"	44,5	93,5	1,80	78,0	1,70
3 1/2"	47,5	101,5	2,50	90,5	2,25
4"	51,0	120,5	2,90	101,5	3,05
5"	57,0	141,0	4,60	128,5	4,85
6"	60,5	170,0	7,00	154,0	7,50
8"	70,0	220,5	12,00	201,5	12,70
10"	78,0	274,5	19,50	254,0	20,00
12"	85,5	325,5	26,70	304,5	29,40
14"	89,0	357,0	29,90	336,5	31,80
16"	93,5	408,0	34,00	387,5	41,70
18"	101,5	459,0	44,00	438,0	56,70
20"	114,5	510,0	53,50	489,0	79,30
24"	124,0	611,0	99,70	590,5	127,00

ADRESA

N+F Slovakia, s.r.o.
 Areál Slovnaft, a.s.
 Budova ABIII
 Vlčie hrdlo 1
 824 12 Bratislava


KONTAKT

Tel: + 421 2 4055 2570-1
 E-mail: nuf@nuf.eu


FAKTURAČNÉ ÚDAJE

N+F Slovakia, s.r.o.
 Vlčie hrdlo 1
 824 12 Bratislava
 IČO: 45 254 273
 IČ DPH: SK2022913849

Weldolet redukovaný



Weldolet neredukovaný



Weldolet Sch XS MSS SP 97


Rozmery	Redukované			Neredukované	
	A	B	Váha (kg/ks)	C	Váha (kg/ks)
1/8"	16,0	16,0	0,04		
1/4"	16,0	16,0	0,04		
3/8"	19,0	19,0	0,07		
1/2"	19,0	24,0	0,09	14,0	0,07
3/4"	22,0	30,0	0,14	19,0	0,12
1"	27,0	36,5	0,21	24,0	0,18
1 1/4"	32,0	44,5	0,40	32,0	0,32
1 1/2"	33,5	51,0	0,50	38,0	0,40
2"	38,0	65,0	0,79	49,0	0,72
2 1/2"	41,5	76,0	1,18	59,0	1,13
3"	44,5	93,5	1,85	73,5	1,85
3 1/2"	47,5	101,5	2,54	85,0	2,30
4"	51,0	120,5	2,90	97,0	3,40
5"	57,0	141,0	4,70	122,0	5,00
6"	78,0	170,0	10,40	146,0	10,40
8"	87,5	220,5	20,40	193,5	21,00
10"	93,5	265,0	24,80	247,5	25,40
12"	100,0	316,0	35,00	298,5	35,00
14"	105,0	351,0	37,70	330,0	39,00
16"	113,0	402,0	46,20	381,0	52,00
18"	119,0	452,0	58,90	432,0	59,00
20"	120,0	503,0	71,50	482,5	84,70
24"	140,0	605,0	141,00	584,0	146,00

Uvedené rozmery (v mm) a hmotnosti (kg/ks) slúžia len na informatívne účely.

Weldolet Sch 160-XXS MSS SP 97

Weldolet redukovaný

Weldolet neredukovaný



Rozmery	Redukované			Neredukované	
	A	B	Váha (kg/ks)	C	Váha (kg/ks)
1/8"	28,0	14,0	0,15	11,5	0,15
3/4"	32,0	19,0	0,32	15,5	0,32
1"	38,0	25,5	0,38	21,0	0,38
1 1/4"	44,0	33,5	0,55	29,5	0,60
1 1/2"	51,0	38,0	0,80	34,0	0,85
2"	55,0	43,0	0,97	43,0	1,00
2 1/2"	62,0	54,0	1,55	54,0	1,70
3"	73,0	73,0	2,85	66,5	2,95
4"	84,0	98,5	4,75	87,0	4,95
5"	94,0	122,0	6,50	109,5	6,80
6"	105,0	146,0	12,70	132,0	13,70

ADRESA

N+F Slovakia, s.r.o.
Areál Slovnaft, a.s.
Budova ABIII
Vlčie hrdlo 1
824 12 Bratislava


KONTAKT

Tel: + 421 2 4055 2570-1
E-mail: nuf@nuf.eu

FAKTURAČNÉ ÚDAJE

N+F Slovakia, s.r.o.
Vlčie hrdlo 1
824 12 Bratislava
IČO: 45 254 273
IČ DPH: SK2022913849

Nipolet 3000 lbs, 6000 lbs



3000 lbs

Rozmery	B	Váha (kg/ks)
1/4"	16,0	0,20
3/8"	19,0	0,23
1/2"	24,0	0,25
3/4"	30,0	0,40
1"	36,5	0,65
1 1/4"	44,5	0,75
1 1/2"	50,8	0,95
2"	65,0	1,45

Ukončenie

plain end
 bevelled podľa ANSI B 16.25
 NPT podľa ANSI B1.20.1
 BSP

6000 lbs


Rozmery	B	Váha (kg/ks)
1/2"	14,0	0,25
3/4"	19,0	0,50
1"	25,5	0,70
1 1/4"	33,5	0,88
1 1/2"	38,0	1,15
2"	43,0	1,50



Threadolet

Threadolet redukovaný

Threadolet neredukovaný



3000 lbs

Rozmery	Redukované			Neredukované	
	A	B	Váha (kg/ks)	C	Váha (kg/ks)
1/8"	19	16	0,06		
1/4"	19	16	0,06		
3/8"	21	19	0,09		
1/2"	25	24	0,11	14,0	0,12
3/4"	27	30	0,17	19,0	0,19
1"	33	36,5	0,29	24,0	0,31
1 1/4"	33	44,5	0,41	32,0	0,45
1 1/2"	35	51	0,46	38,0	0,50
2"	38	65	0,80	49,0	0,87
2 1/2"	46	76	1,74	59,0	1,50
3"	51	93,5	2,00	73,5	2,15
4"	57	120,5	3,35	97,0	3,60

6000 lbs

Rozmery	Redukované		
	A	B	Váha (kg/ks)
1/2"	32	19	0,30
3/4"	37	26	0,50
1"	40	33,5	0,85
1 1/4"	41	38,0	0,90
1 1/2"	43	49	1,45
2"	52	59	2,75

ADRESA

N+F Slovakia, s.r.o.
Areál Slovnaft, a.s.
Budova ABIII
Vlčie hrdlo 1
824 12 Bratislava

KONTAKT

Tel: + 421 2 4055 2570-1
E-mail: nuf@nuf.eu

FAKTURAČNÉ ÚDAJE

N+F Slovakia, s.r.o.
Vlčie hrdlo 1
824 12 Bratislava
IČO: 45 254 273
IČ DPH: SK2022913849